

| Measurement                 | Initial Value | Final Value | Norm         |
|-----------------------------|---------------|-------------|--------------|
| SNA Angle                   | 77.9°         | 78.5°       | 81.8 ± 3.7°  |
| SNB Angle                   | 77°           | 76.1°       | 79.2 ± 2.3°  |
| ANB Angle                   | 0.9°          | 2.3°        | 2.6 ± 2.4°   |
| FMA                         | 29.1°         | 26.2°       | 25.8 ± 3°    |
| SN-MP                       | 44.4°         | 41.8°       | 31.2 ± 3°    |
| Upper Incisor Angle with SN | 108.2°        | 96.9°       | 102.4 ± 5.5° |
| IMPA                        | 110.9°        | 80.2°       | 92.1 ± 9°    |
| Upper Incisor to NA mm      | 10.4 mm       | 6.5 mm      | 3.8 ± 2.7 mm |
| Lower Incisor to NA mm      | 13.3 mm       | 7.3 mm      | 3.4 ± 3.6 mm |
| Upper Lip to E-plane        | 3.1 mm        | 0.7 mm      | -2 ± 2 mm    |
| Lower Lip to E-plane        | 7.3 mm        | 3.4 mm      | -2 ± 2 mm    |

**Table 1: Cephalometric Analysis of Pre- and Post-treatment lateral cephalograms.** Angular and linear measurements were completed between craniofacial skeletal and dental landmarks identified on pre- and post- treatment lateral cephalograms (° - degrees, mm - millimeters)